



## climbing



### Climbing wall

The climbing wall provides an alternative route to the 1.17m platform. The button climbing holds are user-friendly supports for children's hands and feet as they make their way up and across the climbing wall. The anti-slip surface of the climbing wall provides additional grip. Different coloured climbing holds give a decorative appeal, as well as allowing other users to be able to offer advice as to the best hold on which to place a hand or foot in order to advance upwards. Accompanying adults can help the users to improve their technique by advising them to push with their legs, whilst using their hands to direct their bodies across the wall surface.



### Slope

This access to the 60cm platform is an ideal element for the youngest users to practice their climbing skills on. The rounded, polypropylene holds are designed for users to place their feet on and push upwards, whilst a horizontal bar allows users to pull themselves up. Transferring from the ramp to the platform tests children's spatial awareness as they need to pass under the horizontal bar and between the two side panels.

## sliding



### Slide HT: 1.17m

The slide enables users to experience the ever popular pleasure of sliding down to the ground from platforms located at a height of 1.17m or 1.37m. A protective bar at the top of the slide prevents any accidental falls, as well as providing a support for users as they install themselves on the slide bed. The relatively steep gradient at the start of the slide provides exhilarating sensations, before slowing down users as they come towards the safer surfacing.

## sliding



### Slide HT: 0.6m

The slide enables users to experience the ever popular pleasure of sliding down to the ground from platforms located at a height of 0.60m and 1.17m. A protective bar at the top of the slide prevents any accidental falls, as well as providing a support for users installing themselves on the stainless steel slide bed.

## climbing



### Connecting staircase

The intermediate stairway provides an inclined access from the 60cm platform to the 1.17m platform. The stairway is wide enough to allow users to pass, whilst narrow enough to provide reassurance for younger users climbing up for the first time. The metal steps are equipped with an anti-slip, textured finish providing grip even in wet conditions.



### Steps

The stairway provides a simple access to the platform. The stairway is wide enough to allow users to pass, whilst narrow enough to reassure younger users climbing up to the multi-play unit for the first time. The metal steps are equipped with an anti-slip, textured finish providing grip even in wet conditions.

## getting across



### Walkway

The bridge provides an obstacle-free connection between two platforms. The side panels allow users to steady themselves as they cross the bridge or to simply take a break to look over the side at what is happening in the rest of the playground. A hole in the side allows children to look through and to see the world in a different way, or even to place their hands through the gap.

## meeting / role play



### Tower HT: 1.17m

The platform (60cm by 90cm) is an ideal point for users to meet and interact. The green and orange roof provides both protection from the elements and a string visual appeal. The non-slip HPL platform provides grip for users underfoot.

meeting / role play



■ **Platform HT: 0.6m**

This compact platform located at only 60cm above the ground provides reassurance for the youngest users. Parents can hold the hand of children using play equipment for the first time. The solid materials used in the construction of the platform - non-slip HPL and stainless steel - ensure stability and long term durability.

hiding / resting



■ **Seat**

The seat found on the underside of the slide allows children to socialize or simply to take a break in the shade. It can be used as a seat, play table or hideout for those children that appreciate having some time alone, away from the hustle and bustle of the playground environment.