

Metropolis (technical specification)

J4062



1- The coloured panels are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.



2- The platforms are made from a 12.5mm thick, textured, non-slip compact material (HPL).

Further reinforcement is provided by galvanised steel supports, located on the underside of the platforms.



3- The steps, the climbing wall and the inclined element are made from a 12.5mm thick, textured, non-slip compact material (HPL).



4- The tubes are made of 40mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.



5- Injection moulded polyamide fixings connect the posts with the platforms and the various play features. They are non-toxic, flameproof and U.V. resistant. The thickness of the polyamide makes the equipment both strong and vandal resistant.



6- The 16mm diameter ropes are made of galvanised steel cable covered with polyester. The cables are linked together and held in place by injected polyamide spheres.





7- The sliding surface is made of 2mm thick stainless steel, which is shaped, bent and rolled from one piece.



8- The abacus spheres are made of polycarbonate sheets.



9- Plastic parts are made of injected polyamide.



10-The climbing holds are made of polypropylene. They are non-toxic, inflammable and shock and UV resistant.



11-The fixings are made of stainless or plated steel and protected by anti-vandalism polyamide caps.

