




City

(technical specification)


J4080




1- **The coloured panels** are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.




2- **The platforms** are made from a 12.5mm thick, textured, non-slip compact material (HPL). Further reinforcement is provided by galvanised steel supports, located on the underside of the platforms.



4- **The steps, the climbing wall and the inclined element** are made from a 12.5mm thick, textured, non-slip compact material (HPL).



5- **The tubes** are made of 40mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.



6- **Injection moulded polyamide fixings** connect the posts with the platforms and the various play features. They are non-toxic, flameproof and U.V. resistant. The thickness of the polyamide makes the equipment both strong and vandal resistant.



6- **The 16mm diameter ropes** are made of galvanised steel cable covered with polyester. The cables are linked together and held in place by injected polyamide spheres.



7- The **Kayak slide** is made of rotomoulded polyethylene.



8- The **abacus spheres** are made of polycarbonate sheets.



9- **Plastic parts** are made of injected polyamide.



10-**The climbing holds** are made of polypropylene. They are non-toxic, inflammable and shock and UV resistant.



11-**The fixings** are made of stainless or plated steel and protected by anti-vandalism polyamide caps.