

Rope structures

(technical specification)

J4800



1- The 125mm diameter post is made of painted galvanised steel. The two-tone grey grained finish has a slightly undulating surface for increased scratch resistance. The cap is made of rotary moulded polyethylene.



2- The platforms are made from a 12.5mm thick textured and non-slip compact material (HPL).



3- The tubes are made of stainless steel, guaranteeing lasting durability and reliability of the equipment.



4- Injection moulded polyamide fixings connect the posts with the platforms and the various play features. They are non-toxic, flameproof and U.V. resistant. The thickness of the polyamide makes the equipment both strong and vandal resistant.



5- The pod is made of 4mm thick polyester. It is a durable material and this ensures its resistance to weathering and UV radiation.



6- The 16mm diameter ropes are made of galvanised steel cable covered with polyester. The cables are linked together and held in place by injected polyamide spheres.





7- The net fittings are made of polyamide and are used to link three cords together.



8- The net fittings are made of polyamide.

The fittings are composed of two distinct parts for ease of maintenance of individual strands.



9- The footrests are made of shock-absorbing rubber with non-slip surfaces.



 $\textbf{10-The steps} \ \text{are made of shock-absorbing rubber with non-slip surfaces}.$



11-The fixings are made of stainless or plated steel and protected by anti-vandalism polyamide caps.

