





Biibox

(technical specification)

J45417




1- **The 125mm diameter posts** are made of painted galvanised steel. The grained finish has a slightly undulating surface for increased scratch resistance.



2- **The caps** are made of rotary moulded polyethylene (A) or injection moulded polyamide (B).




3- **The platforms** are made from a 12.5mm thick, textured, non-slip compact material (HPL). Further reinforcement is provided by lacquered galvanised steel supports, located on the underside of the platforms.




4- **The play walls and roofs** are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.




5- **Stainless steel version: the play walls** bring together a coloured panel and a stainless steel sheet, 1.5mm thick with a patterned surface on both sides to make it scratch-proof. The roofs are made of polyethylene 10mm thick.



6- **Aluminium version: the play walls and roofs** are made of painted aluminium sheet 3mm thick, backed with a coloured panel.




7- **The climbing walls** are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.



8- **The climbing holds** are made of polyamide for its strength and rigidity.



9- **The tubes** are made of 40mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.



10-**Injection moulded polyamide fixings** connect the posts with the platforms and the various play features. They are non-toxic, flameproof and U.V. resistant. The thickness of the polyamide makes the equipment both strong and vandal resistant.



11-**The steps** are made of shock-absorbing rubber with non-slip surfaces.



11-**The sliding surface** is made of 2mm thick stainless steel, which is shaped, bent and rolled from one piece.



12-**The footrests** are made of shock-absorbing rubber with non-slip surfaces.



13-The one-piece rail is made of stainless steel, Ø 76.1mm, 3.6mm thick.
The trolley is made of stainless steel ensuring its durability.



14-The grip section of the stainless steel handle is overmoulded with rubber to give a good grip.



15-The tunnel is made of 100% recycled rotomolded polyethylene, 76cm in diameter (RAL 9005).



16-The fixings are made of stainless or plated steel and protected by anti-vandalism polyamide caps.