





# Origin'

## Technical specification



1- **The different posts** (60 to 80 mm / 100 to 120 mm / 120 to 140 mm), **and stair treads** (diameter between 330 and 350 mm) are made from sap free robinia. The robinia is sanded and has had its bark removed. Robinia is naturally rot proof and does not require any additional chemical protection; it is equally extremely resistant to attacks from external sources (insects, fungi, climatic variations), guaranteeing the long term durability of the playground equipment.



2- **The panels, climbing walls, tunnel and beams of the balancing trail items** are made from larch (plank sizes 140 x 27 mm / 45 x 68 mm). Larch is naturally resistant and long lasting.

**The roofs** are made from larch logs (80 x 40 mm).

The panels are coloured (shades of green) using a staining process.

3- **The platforms** are made from a 12.5mm thick, textured, non-slip compact material (HPL). Further reinforcement is provided by galvanised steel supports, located on the underside of the platforms.

4- **The tubes** are made of stainless steel, diameter 40mm, guaranteeing lasting durability and reliability of the equipment.

5- **The ropes** are made of galvanised steel cable covered with polyester. Injection moulded polyamide connectors link the cables and keep the nets in shape.



6- **The fixings for the nets and chains** are made from aluminium.

7- **The slides** are made of stainless steel.

8- **The climbing holds** are made of polypropylene. They are non-toxic, non-flammable and shock and UV resistant.

9- **The porthole** is made from lacquered Marine plywood.



10- **The chains** are made of stainless steel.

11- **The stainless steel fixings** are protected by polyamide anti-vandalism caps.

