


Kanopé (technical specification)

J5611



1- The 95 x 95mm posts are made of painted galvanised steel, ensuring robustness and durability.



2- The coloured panels are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.



3- The platforms are made from a 12.5mm thick textured and non-slip compact material (HPL).



4- The tubes are made of 40mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.



5- Injection moulded polyamide fixings connect the posts with the platforms and the various play features. They are non-toxic, flameproof and U.V. resistant. The thickness of the polyamide makes the equipment both strong and vandal resistant.



6- The sliding surface is made of 2mm thick stainless steel, which is shaped, bent and rolled from one piece.





7- The 16mm diameter ropes are made of galvanised steel cable covered with polyester. The cables are linked together and held in place by injected polyamide spheres.



8- The tunnel (L: $4.05m - \emptyset 0.78m$) is made of steel mesh netting, $\emptyset 6mm$, with Rilsan plastic covering.



9- The caps are made of rotary moulded polyethylene.



10-The climbing holds are made of polyamide for its strength and rigidity.



11-The fixings are made of stainless or plated steel and protected by anti-vandalism polyamide caps.

