


Diabolo (technical specification)



1- The coloured panels are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.



2- The 125mm diameter posts are made of painted galvanised steel, ensuring robustness and durability. The caps are made of injection moulded polyamide.



3- The platform and the climbing wall are made from a 12.5mm thick textured and non-slip compact material (HPL).



4- The climbing holds are made of polypropylene. They are non-toxic, inflammable and shock and UV resistant.



5- The anti-slip steps are made of corrugated aluminium sheets ensuring durability and lasting good looks.



6- The tubes are made of 40mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.





7- Injection moulded polyamide fixings connect the posts with the platforms and the various play features. They are non-toxic, flameproof and U.V. resistant. The thickness of the polyamide makes the equipment both strong and vandal resistant.



8- The sliding surfaces are made of 2mm thick stainless steel, which is shaped, bent and rolled from one piece.



9- The 16mm diameter ropes are made of galvanised steel cable covered with polyester. The cables are linked together and held in place by injected polyamide spheres.



10-The roof is made of 10mm thick polyethylene plates.



11-The abacus spheres are made of polycarbonate sheets.



12-The fixings are made of stainless or plated steel and protected by anti-vandalism polyamide caps.

