


J38704



**1- The 125mm diameter posts** are made of painted galvanised steel. The grained finish has a slightly undulating surface for increased scratch resistance.



**2- The coloured panels** are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.



**3- The panels** are made from larch (plank sizes 45 x 68mm). Larch is naturally resistant and long lasting.



**4- The platforms, the steps and the climbing wall** are made from a 12.5mm thick textured and non-slip compact material (HPL).



**5- The tubes** are made of 40mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.



**6- Injection moulded polyamide fixings** connect the posts with the platforms and the various play features. They are non-toxic, flameproof and U.V. resistant. The thickness of the polyamide makes the equipment both strong and vandal resistant.





**7- The sliding surface** is made of 2mm thick stainless steel, which is shaped, bent and rolled from one piece.



**8- The tunnel** is made of 100% recycled rotomolded polyethylene, 45cm in diameter (RAL 9005).



**9- The gangway floor** is made of a woven strip with rubber surface.



**10-The climbing holds** are made of polypropylene. They are non-toxic, inflammable and shock and UV resistant.



11-Plastic parts are made of injected polyamide.



**12-The fixings** are made of stainless or plated steel and protected by anti-vandalism polyamide caps.

