


Diabolo Baby (technical specification)

J38708




1- The 125mm diameter posts are made of painted galvanised steel. The grained finish has a slightly undulating surface for increased scratch resistance.




2- The coloured panels are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.



3- The platforms and the climbing wall are made from a 12.5mm thick textured and non-slip compact material (HPL).



4- The 60cm wide walkway is made of a beveled aluminum treadplate.



5- The baby-step Hill stairs are machined in 20mm thick polyethelyne anti-slip panels which are fitted to a polyester ramp.



6- The roof of the 1.17m platform is made of 10mm thick polyethylene plates.





7- The tubes are made of 40mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.



8- Injection moulded polyamide fixings connect the posts with the platforms and the various play features. They are non-toxic, flameproof and U.V. resistant. The thickness of the polyamide makes the equipment both strong and vandal resistant.



9- The sliding surface is made of 2mm thick stainless steel, which is shaped, bent and rolled from one piece.



10-The climbing holds are made of polypropylene. They are non-toxic, inflammable and shock and UV resistant.



11-The abacus spheres are made of polycarbonate sheets.



12-The fixings are made of stainless or plated steel and protected by anti-vandalism polyamide caps.

