




1- The 125mm diameter posts are made of painted galvanised steel. The two-tone grey grained finish has a slightly undulating surface for increased scratch resistance. The caps are made of injection moulded polyamide.



2- The 95 x 95mm posts are made of painted galvanised steel, ensuring robustness and durability.



3- The junction pieces are made of painted galvanised steel.



4- The caps are made of rotary moulded polyethylene.



5- The coloured panels are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.



6- The 16mm diameter ropes are made of galvanised steel cable covered with polyester. The cables are linked together and held in place by injected polyamide spheres.

Proludic



7- The net fittings are made of polyamide. The fittings are composed of two distinct parts for ease of maintenance of individual strands.



8- The platform is made from a 12.5mm thick textured and non-slip compact material (HPL).



9- The tubes are made of 40mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.



10-The sliding surface is made of 2mm thick stainless steel, which is shaped, bent and rolled from one piece. The sides are made from a 13mm thick compact material (HPL).



11-The climbing holds are made of polyamide for its strength and rigidity.



12-The fixings are made of stainless or plated steel and protected by anti-vandalism polyamide caps.

