

## ACTI'Fit (technical specification)

## J37108



**1- The 102mm diameter posts** are made of painted galvanised steel. The two-tone grey grained finish has a slightly undulating surface for increased scratch resistance.



**2- The caps** are made of painted aluminium (A) or rotary moulded polyethylene (B).



**3- The tubes** are made of 40mm and 33mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.




4- The tubes used for the Parallel bars and Suspension bars are made of electro-galvanized steel (diameter 34 mm) and stainless steel (diameter 40 mm), coated with epoxy paint. Electrogalvanization ensures corrosion resistance and provides a high quality finish. Stainless steel guarantees the longevity and robustness of the equipment over time.

The epoxy paint ensures better grip.



**5- The fixing collars** are made of painted aluminium.



**6- The coloured panels** are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.





**7- The Central Column seating** is supported by a painted galvanized steel frame structure.



**8- The 70 x 70mm post** is made of painted galvanised steel, ensuring robustness and durability.



9- The cap is made of painted stainless steel.



**10-The polyurethane foam seats and backrests** ensure lasting comfort. Polyurethane foam is a resistant and shape memory material that helps to prevent overheating.



11-The footrests are made of stainless steel.



**12-The handles** are made of polyvinyl chloride.



13-The shoulder supports are made of rubber.





**14-The Punching bag** is made of polyurethane foam.



**15-The Punching ball** is made of polyurethane foam. The fixing system is made of stainless steel.



**16-The hydraulic** oil piston is made up of elements manufactured from chrome, aluminium and stainless steel. Users can adjust the resistance from just a few kilogrammes up to as much as 60kg on certain machines.



**17-The Balancing board** is fitted to a galvanized steel post, diameter 114 mm. A ball and socket joint ensures ease of movement.



**18-The Runner rolling bars and surrounding frame structure** are made of stainless steel.



19-The Rowing machine seat is made of rubber. The handles are made of PVC.



**20-The stainless steel rotation system** is equipped with bearings.





21-The smartphone holder is made of polyamide for its strength and rigidity.



**22-The Coat Hook** is made of polypropylene.



**23-The fixings** are made of stainless or plated steel and protected by anti-vandalism polyamide caps.

