





# ACTI'Fit

(technical specification)

J37105



1- **The 102mm diameter posts** are made of painted galvanised steel. The two-tone grey grained finish has a slightly undulating surface for increased scratch resistance.



2- **The caps** are made of painted aluminium (A) or rotary moulded polyethylene (B).




3- **The tubes** are made of 40mm and 33mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.



4- **The tubes used for the Parallel bars and Suspension bars** are made of electro-galvanized steel (diameter 34 mm) and stainless steel (diameter 40 mm), coated with epoxy paint. Electrogalvanization ensures corrosion resistance and provides a high quality finish. Stainless steel guarantees the longevity and robustness of the equipment over time.  
The epoxy paint ensures better grip.



5- **The fixing collars** are made of painted aluminium.



6- **The coloured panels** are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.



7- **The 70 x 70mm post** is made of painted galvanised steel, ensuring robustness and durability.



8- **The cap** is made of painted stainless steel.



9- **The structure of the equipment** is made of painted galvanised steel. The coloured panels are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.



10-**The polyurethane foam seats and backrests** ensure lasting comfort. Polyurethane foam is a resistant and shape memory material that helps to prevent overheating.



11-**The hydraulic** oil piston is made up of elements manufactured from chrome, aluminium and stainless steel. Users can adjust the resistance from just a few kilogrammes up to as much as 60kg on certain machines.



12-**The handles** are made of polyvinyl chloride.



13-**The Balancing board** is fitted to a galvanized steel post, diameter 114 mm. A ball and socket joint ensures ease of movement.



**14-The stainless steel rotation system** is equipped with bearings.



**15-The smartphone holder** is made of polyamide for its strength and rigidity.



**16-The Coat Hook** is made of polypropylene.



**17-The fixings** are made of stainless or plated steel and protected by anti-vandalism polyamide caps.